

WEST Search History

DATE: Tuesday, March 29, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L19	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) with (format or structure)	4
<input type="checkbox"/>	L18	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	3
		<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L17	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	0
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L16	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	1
<input type="checkbox"/>	L15	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same original near5 (format or structure)	1
<input type="checkbox"/>	L14	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) sameoriginal near5 (format or structure)	0
<input type="checkbox"/>	L13	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) with original adj3 (format or structure)	1
<input type="checkbox"/>	L12	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) near5(data or structure or file or object or information or application) near5 original adj3 (format or structure)	1
<input type="checkbox"/>	L11	(back-referenc\$4 or back referenc\$4) with(original or source) with(data or structure or file or object or information)	11
<input type="checkbox"/>	L10	(back-reference or back reference) with(original or source) with(data or structure or file or object)	10
<input type="checkbox"/>	L9	(back-reference or back reference) same(original or source) same(data or structure or file or object)	56
<input type="checkbox"/>	L8	(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	3
<input type="checkbox"/>	L7	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	2

- | | | | |
|----------------------------------|----|--|----|
| <input type="checkbox"/> | L6 | (maintain\$4 or keep\$4 or creat\$4 or establish\$4) with(back-reference or back reference) with(original or source) with(data or structure or file or object) same modif\$8 | 1 |
| <i>DB=PGPB; PLUR=YES; OP=ADJ</i> | | | |
| <input type="checkbox"/> | L5 | (maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8 | 1 |
| <i>DB=USPT; PLUR=YES; OP=ADJ</i> | | | |
| <input type="checkbox"/> | L4 | (maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8 | 0 |
| <input type="checkbox"/> | L3 | 6295513.pn. | 1 |
| <input type="checkbox"/> | L2 | 5664180.pn. | 1 |
| <input type="checkbox"/> | L1 | 5664180 | 11 |

END OF SEARCH HISTORY

WEST Search History

DATE: Tuesday, March 29, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L65	L62 and l46	0
<input type="checkbox"/>	L64	L62 and l56	0
		<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L63	L62 and l56	0
<input type="checkbox"/>	L62	345/\$.ccls.	12649
<input type="checkbox"/>	L61	L60 and @pd > 20041206	0
<input type="checkbox"/>	L60	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)with (conver\$6 or translat\$4) with (independent or neutral or platform-independent or platform independent) same client same server	1
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L59	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)with (conver\$6 or translat\$4) with (independent or neutral or platform-independent or platform independent) same client same server	2
<input type="checkbox"/>	L58	L57 and L56	13
<input type="checkbox"/>	L57	709/\$.ccls.	17585
<input type="checkbox"/>	L56	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent or platform independent)	355
<input type="checkbox"/>	L55	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent or platform independent)	6
<input type="checkbox"/>	L54	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent)	6
<input type="checkbox"/>	L53	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4)	4
<input type="checkbox"/>	L52	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent) same bid\$4	1
<input type="checkbox"/>	L51	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same	1

	(independent or neutral or platform-independent) same notif\$10	
<input type="checkbox"/>	L50 (conver\$6 or translat\$4) with CAD with(independent or neutral or platform-independent) with (format or form)	6
<input type="checkbox"/>	L49 L48 and (conver\$6 or translat\$6)	4
<input type="checkbox"/>	L48 6295513[uref]	12
<input type="checkbox"/>	L47 L46 same client same (server or site or web server)	10
<input type="checkbox"/>	(conver\$6 or translat\$4) same (source code or CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint) same (independent or neutral or platform-independent)	502
<input type="checkbox"/>	L45 L44 and L36	4
<input type="checkbox"/>	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent)near5 (format or form or language or application or software pr prgram)	48
<input type="checkbox"/>	L43 L41 and L38	2
<input type="checkbox"/>	L42 L41 and L36	1
<input type="checkbox"/>	receiv\$3 near5 (CAD or microsoft or software or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent)	40
<input type="checkbox"/>	L40 receiv\$3 near5 (CAD or microsoft or software or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server) same notif\$6	0
<input type="checkbox"/>	L39 L38 and L35	25
<input type="checkbox"/>	L38 715/\$.ccls.	12669
<input type="checkbox"/>	L37 L36 and L35	71
<input type="checkbox"/>	L36 717/\$.ccls.	4906
<input type="checkbox"/>	(application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form)	304
<input type="checkbox"/>	L34 (accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4)	19
<input type="checkbox"/>	L33 (accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	3
<input type="checkbox"/>	L32 (accept\$3 or receiv\$4)near5 (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4) same (independent or neutral) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	10
	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (application or cad or microsoft project or project schedule or excel or proengineer or	

<input type="checkbox"/>	L31	solidworks)same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
<input type="checkbox"/>	L30	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (application or cad microsoft project or project schedule or excel or proengineer or solidworks) same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
<input type="checkbox"/>	L29	(conver\$6 or translat\$4)near5 source code same (independent or neutral) near5 format	5
<input type="checkbox"/>	L28	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format	5
<input type="checkbox"/>	L27	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	0
<input type="checkbox"/>	L26	(application or code or source or structured data) same (conver\$6 or translat\$4) same (independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	64
<input type="checkbox"/>	L25	(application or code or source or structured data) same (conver\$6 or translat\$4) near5(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
<input type="checkbox"/>	L24	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or translat\$4) same(data or application or code or source) near5(independent or neutral)	57
<input type="checkbox"/>	L23	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or translat\$4) same(data or application or code or source) same(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	6
<input type="checkbox"/>	L22	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or translat\$4) with(data or application or code or source) with(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
<input type="checkbox"/>	L21	(conver\$6 or translat\$4) with(data or application or code or source) with (independent or neutral)	3178
<input type="checkbox"/>	L20	(conver\$6 or translat\$4) same (data or application or code or source) same (independent or neutral)	15066
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L19	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) with (format or structure)	4
<input type="checkbox"/>	L18	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	3
<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L17	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	0
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L16	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	1

<input type="checkbox"/>	L15	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same original near5 (format or structure)	1
<input type="checkbox"/>	L14	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) sameoriginal near5 (format or structure)	0
<input type="checkbox"/>	L13	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) with original adj3 (format or structure)	1
<input type="checkbox"/>	L12	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) near5(data or structure or file or object or information or application) near5 original adj3 (format or structure)	1
<input type="checkbox"/>	L11	(back-referenc\$4 or back referenc\$4) with(original or source) with(data or structure or file or object or information)	11
<input type="checkbox"/>	L10	(back-reference or back reference) with(original or source) with(data or structure or file or object)	10
<input type="checkbox"/>	L9	(back-reference or back reference) same(original or source) same(data or structure or file or object)	56
<input type="checkbox"/>	L8	(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	3
<input type="checkbox"/>	L7	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	2
<input type="checkbox"/>	L6	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) with(back-reference or back reference) with(original or source) with(data or structure or file or object) same modif\$8	1
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L5	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	1
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L4	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	0
<input type="checkbox"/>	L3	6295513.pn.	1
<input type="checkbox"/>	L2	5664180.pn.	1
<input type="checkbox"/>	L1	5664180	11

END OF SEARCH HISTORY

WEST Search History

DATE: Tuesday, March 29, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB; USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L11	(back-referenc\$4 or back referenc\$4) with(original or source) with(data or structure or file or object or information)	11
<input type="checkbox"/>	L10	(back-reference or back reference) with(original or source) with(data or structure or file or object)	10
<input type="checkbox"/>	L9	(back-reference or back reference) same(original or source) same(data or structure or file or object)	56
<input type="checkbox"/>	L8	(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	3
<input type="checkbox"/>	L7	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	2
<input type="checkbox"/>	L6	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) with(back-reference or back reference) with(original or source) with(data or structure or file or object) same modif\$8	1
		<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L5	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	1
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L4	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	0
<input type="checkbox"/>	L3	6295513.pn.	1
<input type="checkbox"/>	L2	5664180.pn.	1
<input type="checkbox"/>	L1	5664180	11

END OF SEARCH HISTORY